PROGRAMME IN DETAILS

CONGRESS PROGRAMME

THURSDAY, 4 MAY 2023

09:00-09:15	Welcome	Hall 1 (Gartensaal 1B+C)
09:15-10:30	Plenary Session: Measurement of Surgical Ou Chairs: Jean-Marc Chevallier (France), Ralph F	
45′	Measurement of surgical outcome: Clavien-D comprehensive complication Index and bend Pierre Alain Clavien (Switzerland)	indo score,
20′	How to measure outcome in Bariatric Metabo Paulina Salminen (Finland)	olic Surgery: SF-Bari score
15′	Benchmark trials in Bariatric Metabolic Surge Daniel Gero (Switzerland)	ry
10:30-11:00	Coffee Break / Commercial Exhibition / Poste	er Viewing
11:00-12:30	Long-term results of BMS (>10y)	Hall 1 (Gartensaal 1B+C)
15'+3'	Chairs: Nicola Di Lorenzo (Italy), Marco Bueter Sleeve gastrectomy Michel Gagner (Canada)	(swiizeriana)
15′+3′	RYGB Michel Suter (Switzerland)	
15′+3′	OAGB Niccolo Petrucciani (Italy)	
15′+3′	SADI-S Andrés Sanchez-Pernaute (Spain)	
15′+3′	BPD Francesco S Papadia (Italy)	

11:00-12:30	Free communications: Complication management / Prevention in BMS Chairs: Eric Hazebroek (Netherlands), Sonia Chiappetta (Italy)
7'+3'	The relevancy of gastroscopy in the diagnostic work-up for marginal ulceration following laparoscopic Roux-en-Y gastric bypass Lilian van Hogezand (Netherlands)
7'+3'	Features of prevention of intraoperative thromboembolic complications in morbid obesity patients Maxim Burikov (Russian Federation)
7′+3′	Routine early computed tomography scanner after laparoscopic sleeve gastrectomy for severe obesity: is there an interest for high-risk patients? a prospective study Panagiotis Lainas (Greece)
7′+3′	Meticulous closure of mesenteric defects effectively lowers internal hernia rate in laparoscopic Roux-en-Y gastric bypass Aurelie Vuagniaux (Switzerland)
7'+3'	Management of Internal hernias after laparoscopic Roux-en-Y gastric bypass: Bariatric surgeons versus non-bariatric surgeons Yannick Fringeli (Switzerland)
7'+3'	The influence of a long vs. short gastric pouch in laparoscopic Roux-en-Y gastric bypass on the incidence of anastomotic ulcers Romano Schneider (Switzerland)
7'+3'	Is prealbumine a good biomarker of lean mass loss after gastric bypass? Sara Santini (Switzerland)
7'+3'	The prevalence of osteoporosis, osteopenia and osteoporotic fractures 11.5 years after Roux-en-Y gastric bypass compared to the general population Tore Hodneland (Norway)
7'+3'	The impact of bariatric surgery on opioid consumption in patients with obesity: a registry-based cohort study Pouya Iranmanesh (Switzerland)

11:00-12:30	Free communications: Hall 3 (Seezimmer 1A+B)
	Sleeve gastrectomy & Miscelleneous
	Chairs: David Nocca (France), Paulina Salminen (Finland)
7'+3'	Bariatric surgery in children and adolescents: a systematic review
	of the literature Pouya Iranmanesh (Switzerland)
7'+3'	Staple line complications without reinforcement, with oversewing and with buttressing using oxidized regenerated cellulose in laparoscopic sleeve gastrectomy, randomized comparative study Osama Taha (Egypt)
7'+3'	Measurement of the fat pad surrounding the gastroesophageal junction during laparoscopic sleeve gastrectomy Jason Widjaja (China)
7'+3'	Long-term impact of gastropexy on use of acid-reducing medication, second operations for gastroesophageal reflux and subjective reflux symptoms after sleeve gastrectomy Tone Nygaard Flølo (Norway)
7'+3'	Revision surgery for treatment failures of chronic leaks after sleeve
	gastrectomy Clément Baratte (France)
7'+3'	ACTION Switzerland: survey study assessing awareness, care and treatment in obesity management among people with obesity and healthcare professionals in Switzerland Philipp A Gerber (Switzerland)
7'+3'	Perioperative strategy for bariatric patients with potentially undiagnosed sleep apnoea does not affect post-operative recovery and sleepiness Claudia Berends (Netherlands)
7'+3'	The first survey addressing patients with BMI over 50: a survey of 789 bariatric surgeons Panagiotis Lainas (Greece)
7'+3'	Midterm weight loss after primary bariatric operations in patients below and above 50 years of age Urs Pfefferkorn (Switzerland)

12:30–14:30 Lunch Break / Commercial Exhibition / Poster Viewing

14:30-16:00	IFSO session Hall 1 (Gartensaal 1B+C) The Role of Bariatric Metabolic Surgery in Extreme Situations
	Chairs: Gerhard Prager (Austria), Shiri Sherf-Dagan (Israel)
12'+3'	BMS in patients with severe heart failure requiring left ventricular assist
	devices Scott A Shikora (United States)
12'+3'	BMS in patient with end-stage cirrhosis Francois Pattou (France)
12'+3'	BMS and COVID-19. What did we learn? David Cummings (United States)
12'+3'	BMS in patients with advanced colorectal cancer Edo Aarts (Netherlands)
12'+3'	BMS in women with infertility and age 40 or greater Roxanna Zakeri (United Kingdom)
12'+3'	BMS in adolescents with Asperger's or Prader-Willi syndromes Luca Busetto (Italy)
14:30-16:00	Endoscopic suturing procedures Hall 2 (Gartensaal 1A) for weight loss
	Chair: Karl Miller (Austria), Patrick Aepli (Switzerland)
15'+3'	Technique & Early results of Endoscopic Sleeve Gastroplasty (ESG) (video from inside and laparoscopy)
	Aayed Alqahtani (Saudi Arabia)
15'+3'	Evidence: RCT comparing ESG with lifestyle changes vs lifestyle
	changes alone (MERIT trial) Ricardo Cohen (Brasil)
	Debate
15′+3′	Physician: ESG not better than drugs Katharina Timper (Switzerland)
15′+3′	Gastroenterologist: True alternative to BMS Román Turró (Spain)
15'+3'	Surgeon: ESG short term success vs long-term complications Karl Miller (Austria)

14:30-16:00	Video session: Hall 3 (Seezimmer 1A+B)
	Primary interventions & Complications Chairs: Antonio Torres (Spain), Anders Thorell (Sweden)
7'+3'	MAGDI: Laparoscopic/ Endoscopic MAGNETIC side-to-side duodeno-lleostomy
	Michel Gagner (Canada)
7'+3'	Real-robotic Roux-en-Y gastric bypass with intra-operative endoscopic control after failed POSE (primary obesity surgery endolumenal)
	procedure
	Albert Caballero Boza (Spain)
7′+3′	Intra-operative tough decision (accidental stapling the oro-gastric tube) Osama Taha (Egypt)
7'+3'	The best way to dealing with a staple misfiring during bariatric surgery ${\it Osama\ Taha\ (Egypt)}$
7'+3'	The tricky parts of Duodenal Switch and SADI-S. How to manage
	the duodenum and the anastomosis Amador Garcia Ruiz de Gordejuela (Spain)
7'+3'	ERCP and cholecystectomy in patient with latero-lateral
	duodeno-lleostomy + Sleeve Gastrectomy with MAGNET System Maja Odovic (Spain)
7'+3'	Use of the Branco-Zorron switch in a case of hyperinsulinemic
	hypoglicemia after Roux-en-Y gastric bypass Lucia Sobreno (Spain)
7'+3'	The operative procedure techniqe in case of Situs inversus totalis
	in OAGB Jabra Arraf (Israel)
16:00-16:30	Coffee Break / Commercial Exhibition / Poster Viewing
16:30-18:00	Young IFSO session Hall 1 (Gartensaal 1B+C)
	Chairs: Moritz Felsenreich (Austria), Daniel Gero (Switzerland), Roxanna
7'+3'	Zakeri (United Kingdom) Effect of Roux-en-Y gastric bypass on gastroesophageal reflux after
	failed anti-reflux surgery: a systematic review
7/ . 0/	Nadia De Falco (Italy)
7'+3'	Effect of Roux-en-Y gastric bypass with two different biliopancreatic limb lengths on liver, subcutaneous and visceral adipose tissue
	volumes and liver fat fraction
7/ . 0/	Lena Seidemann (Germany)
7'+3'	Four bottle preference test and drinking microstructure in patients with obesity before and over a 12-month period after RYGB
	Daniela Alceste (Switzerland)

7′+3′	Global benchmarks in primary robotic bariatric surgery redefine quality standards for Roux-en-Y gastric bypass and sleeve gastrectomy Guillaume Giudicelli (Switzerland)
7′+3′	Comparison of gastrointestinal leak rates after laparoscopic and robotically-assisted Roux-en-Y gastric bypass: a systematic review and meta-analysis Pouya Iranmanesh (Switzerland)
7'+3'	Gastric Twist after Sleeve Gastrectomy – an underestimated complication? Nicoletta Basile (Italy)
7′+3′	The effect of a structured syllabus and gamification exercise with bariatric weight suits on medical students' attitude towards patients with obesity Carlo Renold (Switzerland)
7′+3′	Weight regain and reflux after sleeve gastrectomy: A comparative study between bypass and bipartition procedures Vasiliki Christogianni (Germany)
7′+3′	Causal evidence that gut microbiota contribute to weight loss-independent improvements in gylcemic control after Roux-en-Y gastric bypass surgery Mohammed Hankir (Germany)
16:30-18:00	BMS & Endoscopic Complication Management (IFSO-EC Webinar) streaming via ZOOM Chairs: Juan Pujol Rafols (Spain), Maria Valeria Matteo (Italy)
17′+5′	Leaks & Strictures Diego Juzgado (Spain)
17′+5′	Bleeding Remus Frei (Switzerland)
17′+5′	Common bile duct stones after bypass procedures Frans Olivier The (Switzerland)
17′+5′	Dumping & insufficient weight loss Christine Stier (Germany)

16:30-18:00	Free communications: Hall 3 (Seezimmer 1A+B) Comparative trials in BMS Chairs: Maurizio de Luca (Italy, Martin Fried (Czech Republic)
7'+3'	Bariatric surgery versus lifestyle modification in the elderly Erik Stenberg (Sweden)
7'+3'	Nissen-sleeve procedure versus laparoscopic Roux-en-Y gastric bypass in patients with morbid obesity and gastroesophageal reflux disease: protocol for a non-inferiority randomised trial (GINSBY) Judith 'Hart (Netherlands)
7'+3'	Safety and short-term outcomes of sleeve gastrectomy and Roux-en-Y gastric bypass following removal of adjustable gastric banding Christine Stroh (Germany)
7'+3'	Anemia rates after One Anastomosis Gastric Bypass compared to sleeve gastrectomy Adi Vinograd (Israel)
7'+3'	Long-term implications following one anastomosis gastric bypass, Roux-en-Y and sleeve gastrectomy Adi Vinograd (Israel)
7'+3'	Peroperative Administration of Tranexamic acid in Roux-en-Y and one-anastomosis gastric bypass to reduce haemorrhage (PATRY study): a randomized controlled trial, protocol and preliminary results Judith t Hart (Netherlands)
7'+3'	More weight loss in One Anastomosis Gastric Bypass compared to Roux-en-Y Gastric Bypass: a retrospective single-center cohort study in the Netherlands Lindsy van der Laan (Netherlands)
7'+3'	Total parenteral nutrition in patients with bariatric surgery complications: a comparative study Georgios Geropoulos (United Kingdom)
18:00-20:00	Welcome Reception Hall 1 (Gartensaal 1B+C) / Exhibition Area

Wecome addess by congress president Ralph Peterli (Switzerland) and president of IFSO-EC, Jean-Marc Chevallier (France)

Vicki Mooney (United Kingdom): Stigma, bias and discrimination against people with Obesity

Followed by welcome drinks in the Exibition Area

FRIDAY, 5 MAY 2023

09:00-10:30	The science of diets Hall 1 (Gartensaal 1B+C) Chairs: Bernd Schultes (Switzerland), David Cummings (United States)
10′	Introduction: history of diets Bernd Schultes (Switzerland)
22'+3'	Low carb diet: Physiology, results in practice and evidence David Unwin (United Kingdom)
22'+3'	Medication and Bariatric Metabolic Surgery: the role of nutritional therapy Stephanie Tölle (Switzerland)
22'+3'	Potential of sugar alternatives: Effect on satiety, gut hormones, and other health benefits Bettina Wölnerhanssen (Switzerland)
09:00-10:30	BMS: Mechanisms of action Chairs: Rachel Batterham (United Kingdom), Jan Willem Greve (Netherlands)
15′+3′	The role of gut hormones Rachel Batterham (United Kingdom)
15′+3′	The role of bile acids Thomas Lutz (Switzerland)
15′+3′	Gut microbiota Valentina Tremaroli (Sweden)
15'+3'	Behavioural mechanisms Marco Bueter (Switzerland)
15′+3′	The role of vagal nerve/ganglia Wolfgang Langhans (Switzerland)

09:00-10:30	Free communications: Hall 3 (Seezimmer 1A+B) Type 2 Diabetes & NASH
25′+5′	Chairs: Francois Pattou (France), Nicola Di Lorenzo (Italy) "Weight of weight loss" & T2D control Ricardo Cohen (Brasil)
7′+3′	Five-year outcomes of gastric bypass in young versus older diabetic adults Guillaume Giudicelli (Switzerland)
7′+3′	Outcomes of One Anastomosis Gastric Bypass in 472 diabetic patients Osama Taha (Egypt)
7′+3′	Liver function measured by LiMAX improves after a two week protein rich diet and furtherly after Roux-en-Y gastric bypass Arne Dietrich (Germany)
7′+3′	Correlation of non-invasive investigations with liver biopsy in diagnosing the extent of fibrosis in patients with morbid obesity undergoing bariatric surgery Chekuri Ritvik (India)
7′+3′	Obesity related peridontal disease is related to liver pathology – important to intervent early to reduce complications Tadeja Pintar (Slovenia)
7′+3′	Bariatric surgery in renal failure patients improves access to transplantation without increased perioperative risk Chetan D Parmar (United Kingdom)
10:30-11:00	Coffee Break / Commercial Exhibition / Poster Viewing
11:00-12:30	Latest developments of anti- obesity drugs Chairs: Rachel Batterham (United Kingdom), Ricardo Cohen (Brasil)
35′	Drugs to treat obesity: Results of phase 3 trials and the obesity pipeline, what's in phase 1 and 2? Rachel Batterham (United Kingdom)
20′	Effect of anti-obesity drugs on type 2 Diabetes David Cummings (United States)
20′	Drug treatment before and after BMS Luca Busetto (Italy)
15′	Panel discussion
11:00-12:30	Allied health Increasing adherence in bariatric therapy:
15'	A multi-disciplinary approach Chairs: Shiri Sherf-Dagan (Israel), Laura Vaccarino (Switzerland) Engaging BS clinicians into interprofessional approach to increase patient's adherence: sharing our experience Janna Schraven, Laura Vaccarino (Switzerland)

15′	Adherence to nutritional supplementation pre and post BS: can we do better? Laura Hesschen (Netherland)
15′	Measurement of adherence to the nutritional BS recommendations Shiri Sherf-Dagan (Israel)
15′	"Alcohol and BS: is that safe?" Janna Schraven, Marianne Honegger (Switzerland)
15′	Eating disorders post-BS: Case study focused on adherence and engaging the patient Veronique Di Vetta (Switzerland)
15′	Panel discussion
11:00-12:30	Free communications: Hall 3 (Seezimmer 1A+B) Hypoabsorptive & Revisional procedures Chairs: Michel Suter (Switzerland), Luigi Angrisani (Italy)
7′+3′	The prognostic importance of Neutrophil-to-Lymphocyte and Eosinophil-to-Lymphocyte ratio in bariatric patients – the case of One Anastomosis Gastric Bypass Zvi Perry (Israel)
7'+3'	The outcomes of revisional One Anastomosis Gastric Bypass versus revisional Roux-en-Y gastric bypass after primary restrictive procedures Osama Taha (Egypt)
7′+3′	Duodenal Switch vs. Single Anastomosis Duodenal Switch (SADI-S) for the treatment of grade IV obesity: 5 years outcomes of a multicentre prospective cohort comparative study Lucia Sobrino (Spain)
7'+3'	Pouch resizing for weight regain after Roux-en-Y gastric bypass: results from a high-volume single center Stefanie Josefine Hehl (Switzerland)
7'+3'	Laparoscopic esophago-jejunostomy after gastric bypass: outcomes of a salvage procedure for gastric pouch pathologies loannis Lazaridis (Switzerland)
7'+3'	Bariatric reoperations – twelve year experience from a high-volume center in Greece Stavroula Katsimente (Greece)
7'+3'	Midterm results of 50 consecutive patients with conversion form sleeve to Roux-en-Y gastric bypass Urs Pfefferkorn (Switzerland)
7'+3'	Redo-surgery after primary sleeve gastrectomy: a nationwide multicenter study Christine Stroh (Germany)
7'+3'	Latero-lateral duodeno-ileostomy+sleeve gastrectomy with MAGNET system: the 90-days results of Spanish experience Antonio Torres (Spain)

12:30-14:30	Lunch Break / Commercial Exhibition / Poster Viewing	
12:45-13:30	Industry Symposium Hall 1 (Gartensaal 1B+C)	
13:30-14:30	Guided Poster Session Poster Area (exhibition area)	
14:30-16:00	Joint EASO/IFSO-EC meeting Anti-obesity drugs and/or bariatric metabolic surgery (BMS)	
18'+4'	Chair: Jason Halford (United Kingdom), Jean-Marc Chevallier (France) Effects of new drugs on appetite and eating behaviour Jason Halford (United Kingdom)	
18'+4'	Weight maintenance after bariatric surgery, mission possible? Dror Dicker (Israel)	
18'+4'	Will bariatric-metabolic surgery (BMS) still be needed in 10 years from now? Ralph Peterli (Switzerland)	
18'+4'	Is successful response of anti-obesity drugs a predictor of success after BMS Gerhard Prager (Austria)	
14:30-16:00	Sleeve Gastrectomy and GERD Hall 2 (Gartensaal 1A)	
15'+3'	Chairs: Michel Gagner (Canada), Jacques Himpens (Belgium) How to prevent GERD after Sleeve: Nissen fundoplication David Nocca (France)	
15′+3′	How to prevent GERD after Sleeve: Rosetti fundoplication Stefano Olmi (Italy)	
15′+3′	How to prevent GERD after Sleeve: Hiatal hernia repair in primary sleeve: yes/no? Luigi Angrisani (Italy)	
15′+3′	Prevalence of Barrett's oesophagus Paulina Salminen (Finland)	
15'+3'	Surgical options of GERD after sleeve	

Michel Gagner (Canada)

14:30-16:00	Free communications: Hall 3 (Seezimmer 1A+B) Basic & Pre-clinical research
7′+3′	Chairs: Adrian Billeter (Germany), Ronald Liem (Netherlands) Explaining the effects of GLP-1 in humans: GLP-1 receptor expression visualized by radiolabeled exendin PET/CT Laura Deden (Netherlands)
7′+3′	Assessment of microstructure of ingestive behaviour as a predictor of achieved body weight loss one year after Roux-en-Y Gastric Bypass Michele Serra (Switzerland)
7'+3'	Impact of bariatric surgery on brain structure and function. The BARICO study Emma Custers (Netherlands)
7'+3'	Cognitive control and weight loss after bariatric surgery. The BARICO study Emma Custers (Netherlands)
7′+3′	The impact of the gastric pouch and gastro-jejunostomy size after laparoscopic Roux-en-Y gastric bypass – a prospective, CT-volumetry based study loannis Lazaridis (Switzerland)
7'+3'	Establishment of a metabolic-bariatric colorectal mouse model (RyGB-CRC model) Claudia Läßle (Germany)
7′+3′	One Anastomosis Gastric Bypass with short and long biliopancreatic limb versus food restriction in diet-induced obese mice: Analysis of metabolic outcomes and immune cell phenotyping loannis Lazaridis (Switzerland)
7'+3'	Reducing greenhouse gas emissions in a European bariatric surgery unit: Why and how? Jerome Dargent (France)
7′+3′	Analysis of the efficacy and the long-term metabolic and nutritional status of sleeve gastrectomy with transit bipartition compared to Roux-en-Y gastric bypass in obese rats Clément Baratte (France)

16:00–16:30 Coffee Break / Commercial Exhibition / Poster Viewing

7'+3'

16:30–18:00 The European Championship

Moderator: Marco Bueter (Switzerland)



Description of the concept:

a) 4 teams of surgeons make clinical decisions solving several cases

b) Audience votes which team did best

Alexander Kutz (Switzerland/ United States)



Teams:

Spain: Antonio Torres; Raquel Sanchez Santos; Carlos Ferrigni **Italy:** Nicola Di Lorenzo; Sonja Chiappetta; Angelo Iossa **Switzerland:** Ralph Peterli; Monika Hagen; Marko Kraljevic

United Kingdom: Dimitri Pournaras; Roxanna Zakeri; Chetan D Parmar

16:30-18:00 **BMS and Population based Health Benefits** Hall 2 (Gartensaal 1A) Chairs: Luca Busetto (Italy), Scott A Shikora (United States) 18'+4' Cancer reduction (JAMA paper 22) (online) **ZOOM** Ali Aminian (United States) 18'+4' BMS and long-term survival (Lancet paper 2021) David Cummings (United Sates) 18'+4' Long-term SOS-results: reduction in mortality and prevention of T2DM Anders Thorell (Sweden) 18'+4' A population-based matched cohort study on MACE reduction: sleeve

16:30-18:00	Free communications: Interdisciplinary Management & Allied health Chairs: Bernd Schultes (Switzerland), Laura Heusschen (Netherlands)
7'+3'	BACULIFE: Preoperative weight-loss using a standardized program with formula diet ± acupuncture Peter Panhofer (Austria)
7'+3'	Bariatric surgery and sleep-disordered breathing Antonella Pino (Italy)
7′+3′	Reproductive health in female bariatric patients: a national survey of bariatric professionals loannis Lazaridis (Switzerland)
7′+3′	Evidence mapping of complementary, nutritional and traditional medicine with focus on metabolic and bariatric medicine Peter Panhofer (Austria)
7′+3′	Long-term outcomes after gastric bypass surgery in patients with craniopharyngioma-related hypothalamic obesity – Three cases with 7, 8, and 14 years follow-up Bernd Schultes (Switzerland)

and postoperative bariatric surgery support program

Nadia Botros (Netherlands)

How well does it fit? A process evaluation of a multidisciplinary pre-

on appropriateness and acceptability from patients' perspective

7'+3'
Incidence of clinical apparent kidney stones after gastric sleeve resection, proximal gastric bypass, and distal gastric bypass – a single center retrospective data analysis

Bernd Schultes (Switzerland)

7'+3'
Textbook outcome in laparoscopic primary bariatric surgery over the years in a referral centre

María Recarte (Spain)

Weight loss in children and adolescents at a single obesity center through four different multidisciplinary treatment options including therapy with liraglutide 3mg and bariatric surgery

Martin Sykora (Switzerland)

18:00-18:45 General Council Meeting

Hall 1 (Gartensaal 1B+C)

19:30 Congress Dinner

SATURDAY, 6 MAY 2023

09:00-10:30	Management of weight regain/insufficient weight Loss
15'+3'	Chairs: Torsten Olbers (Sweden), Raquel Sanchez Santos (Spain) Management in general / conservative options Katharina Timper (Switzerland)
15'+3'	Endoscopic transluminal options Patrick Aepli (Switzerland)
15'+3'	Surgical options in non-responding patients following: Endoscopic procedures (ESG, POSE) Catalin Copaescu (Romania)
15'+3'	RYGB Maurizio De Luca (Italy)
15'+3'	Sleeve Eric Hazebroek (Netherland)
09:00-10:30	Free communications: Hall 2 (Gartensaal 1A) Endoluminal interventions, Innovations & Robotics Chaire: Part Pater Miller (Quitterland) Edg. Agric (Netherlands)
7′+3′	Chairs: Beat Peter Müller (Switzerland), Edo Aarts (Netherlands) Over ten years of gastric endoplication: what have we learned? Jerome Dargent (France)
7′+3′	Women in menopause are not so disadvantaged: outcome of Endoscopic Sleeve Gastroplasty based on fertility status Maria Valeria Matteo (Italy)
7'+3'	Redo endoscopic sleeve gastroplasty (Re-ESG): the experience of a tertiary center Maria Valeria Matteo (Italy)
7′+3′	Redo Transoral Outlet Reduction (Re-TORe): technical feasibility and medium-term outcomes Maria Valeria Matteo (Italy)
7′+3′	Gastroesophageal Junction and pylorus distensibility before and after sleeve gastrectomy – pilot study with EndoFlipTM Christian Tibor Josef Magyar (Switzerland)
7'+3'	Initial results of the implementation of a revisional bariatric surgery program using robotic platforms Albert Caballero Boza (Spain)
7'+3'	Multicentric phase and step recognition in Roux-en-Y gastric bypass surgery using artificial intelligence Joël L. Lavanchy (Switzerland)
7'+3'	Outcomes and satisfaction after the use of a mobile health application after bariatric surgery Bob Moens (Belgium)

09:00-10:30	Free communications:	Hall 3 (Seezimmer 1A+B)
	Long-term results of BMS	
	Chairs: Monika Hagen (Switzerland), Rud	dolf Weiner (Germany)
7′+3′	Weight loss maintenance 10–15 years of	after primary Roux-en-Y gastric
	bypass in patients with severe obesity	
	Asne Hyldmo (Norway)	
7′+3′	Complications after laparoscopic Roux	x-en-Y gastric bypass
	in 2793 consecutive patients	
	Sérgio Gaspar-Figueiredo (Switzerland)	
7′+3′	Weight loss after gastric bypass depen	ds on total bowel length
	Ansgar Roehrborn (Germany)	
7'+3'	Barrett`s esophagus after bariatric surg	gery: regression or progression?
	Yusef Moulla (Germany)	
7'+3'	Rate of gallstone formation following b	ariatric surgery – retrospective
	study	
	Eden Gerszman (Israel)	
7′+3′	Body image and weight loss outcome of	after bariatric metabolic surgery:
	a mixed model analysis	
	Phillip Dijkhorst (Netherlands)	
7′+3′	Olfactory function after bariatric surge	ry: systematic review
	and meta-analysis	
	Lolita Matiashova (Switzerland)	
7′+3′	Regret after bariatric surgery? The asso	ociation of surgical
	characteristics, complications, and qu	ality of life with decision regret
	Phillip Dijkhorst (Netherlands)	
	·	

11:00-12:30	Best abstract session Hall 1 (Gartensaal 1B+C)
7′+3′	Chairs: Jean-Marc Chevallier (France), Ralph Peterli (Switzerland) Association between incidence of type 2 diabetes and mortality in patients with obesity: up to 30 years follow-up of the Swedish obese subjects study Per-Arne Svensson (Sweden)
7′+3′	Incidence of new-onset type 2 diabetes after bariatric surgery. A cohort study with matched controls Viiko Vahtera (Finland)
7′+3′	Applying Naltrexone/Bupropion (Mysimba®) in patients with weight recurrence after bariatric surgery (AMPWR) Marijn Jense (Netherlands)
7′+3′	Perioperative outcomes in sleeve gastrectomy and Roux-en-Y gastric bypass –the first results from the randomized Bypass Equipoise Sleeve Trial (BEST) Suzanne Hedberg (Sweden)
7'+3'	Laparoscopic Roux-en-Y gastric bypass versus laparoscopic sleeve gastrectomy: 10-year outcomes on weight loss, comorbidities, and reoperations (SM-BOSS) Marko Kraljevic (Switzerland)
7′+3′	Evaluation of different methods to measure muscle mass in a population with obesity: MUSCLE study Marloes Emous (Netherlands)
7'+3'	Development of a standard set for patient reported outcome measures in obesity treatment research: outcomes of the S.Q.O.T. consensus meetings Phillip Dijkhorst (Netherlands)
7′+3′	Current status of metabolic/ bariatric surgery in type 1 Diabetes Mellitus: an updated systematic review and meta-analysis Panagiotis Lainas (Greece)
7′+3′	Award ceremony
11:00-12:30	Robotics and new Developments Chairs: Catalin Copaescu (Romania), Rudolf Weiner (Germany)
17'+5'	Digital health and metabolic surgery: lights and shadows Juan Pujol Rafols (Spain)
17'+5'	Robotics in BMS, Geneva experience and beyond Monika E Hagen (Switzerland/ United States)
17'+5'	Magnetic Duodenal-Ileostomy Michel Gagner (Canada)
17'+5'	Potential of Al for optimized decision-making in bariatric-metabolic surgery Beat Peter Müller (Switzerland/ Germany)

11:00-12:30	Video session: Revisions Hall 3 (Seezimmer 1A+B) Chairs: Adrian Billeter (Germany), Dimitri Pournaras (United Kingdom)
7′+3′	Conversion of failed Nissen fundoplication to Roux-en-Y gastric bypass in morbid obese patientmo Jabra Arraf (Israel)
7′+3′	Robotic assisted Roux-en-Y gastric bypass after previous Collis-Nissen fundoplication Albert Caballero Boza (Spain)
7′+3′	Robotic conversion of One Anastomosis Gastric Bypass to Roux-en-Y gastric bypass due to gastroesophageal reflux reluctant to medical treatment Carlota Tuero (Spain)
7′+3′	Reversion of duodenal switch to sleeve gastrectomy due to severe protein-calorie malnutrition Carlota Tuero (Spain)
7′+3′	Revisional robotic bariatric surgery after misconstructed gastric bypass in a patient with intestinal malrotation: A video case report Marcelis Jordan (Switzerland)
7′+3′	Efficacy of jejuno-duodenostomy for the treatment of severe postprandial hypoglycemia after Roux-En-Y gastric bypass with gastrectomy of the remnant in patient with gastroesophageal reflux disease José Luis Romera (Spain)
7'+3'	Laparoscopic sleeve gastrectomy after Roux-en-Y gastric bypass for treatment of dumping Ahmed Abdelsalam (Egypt)
7′+3′	The interposition of the short loop of ilium between pylorus-preserved sleeve and duodenum after SADI-S complicated by malabsorption syndrome Maxim Burikov (Russian Federation)
7′+3′	VEST removal and conversion to Roux-en-Y gastric bypass Carlota Tuero (Spain)
12:30-13:00	Closing Ceremony & Closing Remarks Hall 1 (Gartensaal 1B+C)

Chairs: Ralph Peterli (Switzerland), Jean-Marc Chevallier (France)